

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in KKR [Knoxville/Knox County Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	34	67	a	8	73	a	42	68	a
Black, not Hispanic	14	27	a	*	*	a	*	*	a
Hispanic	*	*	a	*	*	a	*	*	a
Asian/Pacific Islander	*	*	a	0	0	a	*	*	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	51	100	a	11	100	a	62	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in KKR [Knoxville/Knox County Region], by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	*	*	11	18
25-34	*	*	*	*	9	15
35-44	*	*	*	*	23	37
45-54	12	24	0	0	12	19
55-64	*	*	*	*	*	*
>=65	*	*	0	0	*	*
Total	51	100	11	100	62	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in KKR [Knoxville/Knox County Region], by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	26	51	a	a	26	42
Injection drug use (IDU)	*	*	*	*	*	*
Male-to-male sex and IDU	*	*	a	a	*	*
Heterosexual contact	*	*	*	*	8	13
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	*	*	*	*	23	37
Total	51	100	11	100	62	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in KKR [Knoxville/Knox County Region], by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	19	45	7	44	0	0	0	0	0	0	0	0	26	42
Injection drug use (IDU)	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Male-to-male sex and IDU	*	*	0	0	0	0	0	0	0	0	0	0	*	*
Heterosexual contact	6	14	*	*	0	0	0	0	0	0	0	0	8	13
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	13	31	6	38	*	*	*	*	0	0	0	0	23	37
Total	42	100	*	*	*	*	*	*	0	0	0	0	62	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in KKR [Knoxville/Knox County Region], by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	51	100	11	100	62	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	51	100	11	100	62	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in KKR [Knoxville/Knox County Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	9	64	a
Black, not Hispanic	*	*	a	*	*	a	5	36	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	100	a	*	100	a	14	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	48	44	47	42	51	985
Females	7	16	16	15	11	169
Total	55	60	63	57	62	1,154

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	41	48	45	35	42	840
Black, not Hispanic	11	12	18	19	*	283
Hispanic	*	0	0	*	*	22
Asian/Pacific Islander	*	0	0	0	*	5
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	0	*	0	3
Total	55	60	63	57	62	1,154

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity: Sex	2001	2002	2003	2004	2005	Cumulative cases through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	35	37	35	26	34	749
White, not Hispanic: Female	6	11	10	9	8	91
Black, not Hispanic: Male	11	*	*	13	14	211
Black, not Hispanic: Female	0	*	*	*	*	72
Hispanic: Male	*	0	0	*	*	19
Hispanic: Female	*	0	0	0	*	3
Asian/Pacific Islander: Male	*	0	0	0	*	4
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	0	0	0	2
Total	55	60	63	57	62	1,154

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	0	0	0	5
13-14	0	0	0	0	0	0
15-24	7	*	13	*	11	152
25-34	17	19	17	17	9	444
35-44	21	25	17	24	23	378
45-54	*	9	11	9	12	122
55-64	*	*	*	*	*	43
>=65	0	*	*	0	*	10
Total	55	60	63	57	62	1,154

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	28	29	38	21	26	688
Injection drug use (IDU)	*	*	*	8	*	146
Male-to-male sex and IDU	*	*	0	*	*	48
Heterosexual contact	11	22	11	*	8	128
Mother with/at risk for HIV	*	0	0	0	0	5
Other/unknown	8	*	*	21	23	139
Total	55	60	63	57	62	1,154

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	25	31	27	29	369
Females	*	9	8	11	10	89
Total	31	34	39	38	39	458

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

HIV (not AIDS) cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	23	28	29	24	22	323
Black, not Hispanic	6	6	10	*	14	124
Hispanic	*	0	0	*	*	8
Asian/Pacific Islander	*	0	0	0	*	2
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	1
Total	31	34	39	38	39	458

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity: Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	19	22	25	17	15	273
White, not Hispanic: Female	*	6	*	7	7	50
Black, not Hispanic: Male	6	*	6	7	12	86
Black, not Hispanic: Female	0	*	*	*	*	38
Hispanic: Male	*	0	0	*	*	7
Hispanic: Female	0	0	0	0	*	1
Asian/Pacific Islander: Male	*	0	0	0	*	2
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	31	34	39	38	39	458

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	6	*	11	*	10	89
25-34	11	15	14	10	6	170
35-44	11	10	6	17	11	150
45-54	*	*	*	6	7	36
55-64	0	0	*	*	*	9
>=65	0	0	*	0	*	3
Total	31	34	39	38	39	458

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile

HIV (not AIDS) cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	18	14	28	11	17	245
Injection drug use (IDU)	*	*	*	*	*	56
Male-to-male sex and IDU	*	*	0	*	0	17
Heterosexual contact	6	15	7	*	*	65
Mother with/at risk for HIV	*	0	0	0	0	1
Other/unknown	*	*	*	17	15	74
Total	31	34	39	38	39	458

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	28	*	33	616
Females	*	*	13	*	6	80
Total	25	32	41	25	39	696

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	18	25	31	15	29	517
Black, not Hispanic	7	*	10	*	*	159
Hispanic	0	*	0	*	*	14
Asian/Pacific Islander	0	0	0	0	0	3
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	0	0	0	2
Total	25	32	41	25	39	696

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity: Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	16	21	23	13	25	476
White, not Hispanic: Female	*	*	8	*	*	41
Black, not Hispanic: Male	5	5	5	8	6	125
Black, not Hispanic: Female	*	*	5	*	*	34
Hispanic: Male	0	*	0	0	*	12
Hispanic: Female	0	0	0	*	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	2
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	2
Total	25	32	41	25	39	696

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	4
13-14	0	0	0	0	0	0
15-24	*	0	0	*	*	27
25-34	6	*	9	8	8	260
35-44	9	18	21	9	18	257
45-54	*	5	9	5	7	101
55-64	*	*	*	*	*	39
>=65	0	*	*	0	0	8
Total	25	32	41	25	39	696

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in KKR [Knoxville/Knox County Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	12	20	18	13	16	443
Injection drug use (IDU)	*	*	7	*	*	90
Male-to-male sex and IDU	*	0	*	*	*	31
Heterosexual contact	*	*	7	6	5	63
Mother with/at risk for HIV	0	0	0	0	0	4
Other/unknown	*	*	*	*	12	65
Total	25	32	41	25	39	696

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in KKR [Knoxville/Knox County Region], by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	490	519	553	585	624
Females	90	105	117	129	138
Total	580	624	670	714	762

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in KKR [Knoxville/Knox County Region], by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	420	453	487	513	546
Black, not Hispanic	143	154	168	184	195
Hispanic	11	11	11	13	16
Asian/Pacific Islander	*	*	*	*	*
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*
Total	580	624	670	714	762

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in KKR [Knoxville/Knox County Region], by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity: Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	374	397	422	442	468
White, not Hispanic: Female	46	56	65	71	78
Black, not Hispanic: Male	102	108	117	127	137
Black, not Hispanic: Female	41	46	51	57	58
Hispanic: Male	10	10	10	12	14
Hispanic: Female	*	*	*	*	*
Asian/Pacific Islander: Male	*	*	*	*	*
Asian/Pacific Islander: Female	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*
Unknown/Multiple Race: Female	*	*	0	0	0
Total	580	624	670	714	762

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in KKR [Knoxville/Knox County Region], by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	0	0	0	0	0
15-24	*	*	13	16	26
25-34	82	97	113	124	133
35-44	257	271	284	304	321
45-54	179	192	197	204	211
55-64	44	43	44	47	52
>=65	*	*	*	*	*
Total	580	624	670	714	762

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in KKR [Knoxville/Knox County Region], by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	346	369	401	418	439
Injection drug use (IDU)	90	87	87	91	89
Male-to-male sex and IDU	24	23	19	20	21
Heterosexual contact	63	84	94	97	104
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	*	*	*	*	*
Total	580	624	670	714	762

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in KKR [Knoxville/Knox County Region], by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	9	361
Females	*	*	*	*	5	31
Total	21	16	17	13	14	392

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in KKR [Knoxville/Knox County Region], by year of death and race/ethnicity

Race/ethnicity	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	*	9	*	294
Black, not Hispanic	9	*	*	*	*	88
Hispanic	*	0	0	*	0	6
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	*	0	0	2
Total	21	16	17	13	14	392

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in KKR [Knoxville/Knox County Region], by year of death and race/ethnicity:sex

Race/ethnicity: Sex	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	9	14	10	6	8	281
White, not Hispanic: Female	*	*	*	*	*	13
Black, not Hispanic: Male	6	*	*	*	*	74
Black, not Hispanic: Female	*	0	*	0	*	14
Hispanic: Male	*	0	0	*	0	5
Hispanic: Female	0	0	0	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	*	0	0	2
Total	21	16	17	13	14	392

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in KKR [Knoxville/Knox County Region], by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	*	0	0	0	5
25-34	*	*	*	*	*	120
35-44	13	9	7	7	5	152
45-54	5	*	8	*	6	82
55-64	0	*	*	*	*	24
>=65	*	0	0	0	*	7
Total	21	16	17	13	14	392

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in KKR [Knoxville/Knox County Region], by year of death and exposure category

Exposure category	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
Male-to-male sex	9	6	6	*	5	249
Injection drug use (IDU)	7	6	5	*	5	57
Male-to-male sex and IDU	*	*	*	*	*	27
Heterosexual contact	*	*	*	*	*	24
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	*	*	*	*	33
Total	21	16	17	13	14	392

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.